

FIG. 1





FIG. 2




Distance from bottom of sample cell to lowermost part of solution surface:  $d/(mm)$

Time elapsed since start of dropping of sample solution:  $t(s)$

APPROVED	O.G. FIG.
BY	CLASS SUBCLASS
DRAFTSMAN	

FIG. 3



Distance from bottom of sample cell to lowermost part of  
solution surface:  $d/(\text{mm})$

Time elapsed since start of dropping of sample solution:  $t(\text{s})$

FIG. 4




FIG. 5




FIG. 6






FIG. 7



APPROVED	O.G. FIG.
BY	CLASS SUBCL. SS
DRAFTSMAN	


FIG. 8





APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 9




Distance from bottom of sample cell to lowermost part of  
solution surface:  $d/(\text{mm})$

Time elapsed since start of dropping of sample solution:  $t/(\text{s})$

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 10



Distance from bottom of sample cell to lowermost part of  
solution surface:  $d/(\text{mm})$

Time elapsed since start of dropping of sample solution:  $t/(\text{s})$